

AXIAN PIROS

Descarga libre @ 3m de distancia en campo abierto / Outlet LPA octave band @ 3m free field

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-315M 30-8	73	67	68	66	59	54	49	42	34
2-315M 40-8	76	70	72	69	63	57	52	46	37
2-315M 45-8	79	73	75	72	65	60	55	48	40

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-315T 30-8	73	67	68	66	59	54	49	42	34
2-315T 40-8	76	70	72	69	63	57	52	46	37
2-315T 45-8	79	73	75	72	65	60	55	48	40

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-355M 24-8	78	72	74	71	65	59	54	48	40
2-355M 30-8	77	71	73	70	64	58	53	47	39
2-355M 40-8	76	70	72	69	63	57	52	46	38
2-355M 45-8	82	76	78	76	69	63	58	52	44

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-355T 24-8	78	72	74	71	65	59	54	48	40
2-355T 30-8	77	71	73	70	64	58	53	47	39
2-355T 40-8	76	70	72	69	63	57	52	46	38
2-355T 45-8	82	76	78	76	69	63	58	52	44

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-400M 24-8	76	70	72	70	63	57	52	46	38
2-400M 34-8	80	74	76	73	67	61	56	49	41
2-400M 40-8	83	78	79	77	70	64	59	53	45

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-400T 24-8	76	70	72	70	63	57	52	46	38
2-400T 34-8	80	74	76	73	67	61	56	49	41
2-400T 40-8	83	78	79	77	70	64	59	53	45
2-400T 45-8	86	80	82	79	73	67	62	55	47

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-450M 24-8	80	74	76	73	67	61	56	49	41
2-450M 34-8	83	78	79	77	70	64	60	53	45

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-450T 24-8	80	74	76	73	67	61	56	49	41
2-450T 34-8	83	78	79	77	70	64	60	53	45
2-450T 40-8	87	81	83	80	74	68	63	56	48
2-450T 45-8	90	84	85	83	76	71	66	59	51

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-315M 34-8	57	52	53	51	44	39	34	27	19
4-315M 40-8	61	55	57	54	48	42	37	30	22
4-315M 45-8	64	58	59	57	50	45	40	33	25

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-315T 34-8	57	52	53	51	44	39	34	27	19
4-315T 40-8	61	55	57	54	48	42	37	30	22
4-315T 45-8	64	58	59	57	50	45	40	33	25

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-355M 30-8	63	57	59	56	50	44	39	33	25
4-355M 34-8	61	55	57	54	48	42	37	31	23
4-355M 45-8	67	61	63	61	54	48	43	37	29

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-355T 30-8	63	57	59	56	50	44	39	33	25
4-355T 34-8	61	55	57	54	48	42	37	31	23
4-355T 45-8	67	61	63	61	54	48	43	37	29

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-400M 24-8	61	55	57	55	48	42	37	31	23
4-400M 34-8	65	59	61	58	52	46	41	34	26
4-400M 40-8	68	62	64	62	55	49	44	38	30
4-400M 45-8	71	65	67	64	58	52	47	40	32

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-400T 24-8	61	55	57	55	48	42	37	31	23
4-400T 34-8	65	59	61	58	52	46	41	34	26
4-400T 40-8	68	62	64	62	55	49	44	38	30
4-400T 45-8	71	65	67	64	58	52	47	40	32

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-450M 24-8	65	59	61	58	52	46	41	34	26
4-450M 34-8	68	63	64	62	55	49	44	38	30
4-450M 40-8	72	66	68	65	59	53	48	41	33
4-450M 45-8	74	69	70	68	61	56	51	44	36

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-450T 24-8	65	59	61	58	52	46	41	34	30
4-450T 34-8	68	63	64	62	55	49	44	38	34
4-450T 40-8	72	66	68	65	59	53	48	41	37
4-450T 45-8	74	69	70	68	61	56	51	44	40

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-500M 24-8	68	62	64	61	55	49	44	37	29
4-500M 30-8	71	65	66	64	57	52	47	40	32
4-500M 34-8	72	66	67	65	58	53	48	41	33
4-500M 45-8	78	72	74	71	64	59	54	47	39

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-500T 24-8	68	62	64	61	55	49	44	37	33
4-500T 30-8	70	64	66	63	57	51	46	39	35
4-500T 34-8	72	66	67	65	58	53	48	41	37
4-500T 45-8	78	72	74	71	64	59	54	47	43

Ø 560	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-560T 30-6	77	71	73	70	64	58	53	46	42
4-560T 40-6	79	74	74	70	66	62	57	51	44
4-560T 45-6	81	77	76	73	69	65	60	54	47

Ø 630	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-630T 24-3	75	70	70	67	62	59	53	48	41
4-630T 30-3	76	70	72	70	63	57	52	46	38
4-630T 40-3	79	74	75	72	66	62	58	52	44
4-630T 45-3	80	76	75	72	68	64	59	53	46
4-630T 24-4	77	72	72	69	64	61	55	50	43
4-630T 34-4	80	74	76	73	67	63	59	53	45
4-630T 40-4	81	75	77	73	68	64	59	54	46
4-630T 45-4	82	78	77	74	69	66	61	55	48
4-630T 24-6	75	69	71	68	62	56	51	45	36
4-630T 30-6	81	75	76	74	67	62	57	50	42
4-630T 34-6	79	73	75	72	66	62	58	52	44
4-630T 40-6	82	78	77	74	70	66	61	55	48
4-630T 45-6	85	80	80	77	72	69	63	58	50

AXIAN PIROS

(continuación / continuation / suite / folgend)

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-710T 24-3	78	73	74	72	65	59	55	48	44
4-710T 30-3	80	74	76	73	67	61	56	49	45
4-710T 34-3	80	75	75	71	67	63	58	53	45
4-710T 45-3	84	79	79	76	71	68	62	57	49
4-710T 24-4	80	75	76	74	67	61	57	50	46
4-710T 30-4	82	76	78	75	69	63	58	51	47
4-710T 34-4	83	79	78	75	71	67	62	56	49
4-710T 45-4	86	81	81	77	73	69	64	58	51
4-710T 24-6	79	73	75	72	65	60	55	48	44
4-710T 30-6	84	78	80	78	71	65	60	54	50
4-710T 40-6	86	81	81	78	73	70	64	59	51
4-710T 45-6	89	84	84	80	76	72	67	61	54

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-800T 24-3	82	76	78	76	69	63	58	52	44
4-800T 30-3	85	79	81	78	72	66	61	54	46
4-800T 34-3	85	79	81	78	72	66	61	54	46
4-800T 40-3	87	81	83	79	74	70	65	59	52
4-800T 45-3	88	83	82	79	75	71	66	60	53

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-800T 24-4	82	76	78	75	69	63	58	52	44
4-800T 30-4	86	80	82	79	73	67	62	55	47
4-800T 34-4	85	80	81	79	72	66	62	55	47
4-800T 40-4	88	82	84	81	75	71	67	61	53
4-800T 45-4	88	84	83	80	76	72	67	61	54
4-800T 24-6	82	76	78	75	69	63	58	52	44
4-800T 30-6	85	79	81	78	71	66	61	54	46
4-800T 34-6	86	81	83	79	74	70	65	59	52
4-800T 40-6	88	83	83	79	75	71	66	60	53
4-800T 45-6	89	84	84	80	76	72	67	62	54
4-800T 24-9	86	81	81	78	73	68	63	57	49
4-800T 30-9	87	81	83	80	74	68	63	56	48
4-800T 34-9	88	82	84	81	75	70	65	59	51
4-800T 40-9	88	83	84	80	76	72	67	61	54
4-800T 45-9	89	84	84	80	76	72	67	61	54
4-800T 24-12	90	85	85	81	77	73	68	63	55
4-800T 30-12	89	83	85	83	76	70	65	59	51
4-800T 34-12	89	83	85	82	76	71	66	60	52
4-800T 40-12	89	84	85	82	76	72	68	62	54
4-800T 45-12	89	84	84	80	76	72	67	61	54

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-900T 24-3	86	81	81	78	73	70	64	59	52
4-900T 30-3	88	82	84	81	75	69	64	57	49
4-900T 34-3	89	84	86	82	77	73	68	62	55
4-900T 40-3	91	86	88	84	79	75	70	64	57
4-900T 45-3	92	88	87	84	79	76	70	65	58
4-900T 24-4	85	80	80	77	72	69	63	58	50
4-900T 30-4	89	83	84	82	75	70	65	58	50
4-900T 40-4	92	86	88	85	79	75	71	65	57
4-900T 45-4	93	89	88	85	80	77	71	66	59
4-900T 24-6	87	82	83	81	74	69	64	57	49
4-900T 30-6	89	84	85	83	76	70	66	59	51
4-900T 34-6	90	84	86	83	77	73	69	63	55
4-900T 40-6	92	87	87	84	79	76	70	65	58
4-900T 45-6	93	88	88	85	80	77	71	66	59
4-900T 24-9	90	85	86	83	77	73	68	62	54
4-900T 30-9	91	85	86	84	77	72	67	60	52
4-900T 34-9	91	86	87	84	78	73	69	62	55
4-900T 40-9	92	87	88	85	80	76	71	65	58
4-900T 45-9	93	88	88	84	80	76	71	65	58
4-900T 24-12	93	89	88	85	81	77	72	66	59
4-900T 30-12	93	87	89	86	80	74	69	62	54
4-900T 40-12	93	87	89	85	80	76	71	66	58
4-900T 45-12	92	88	87	84	79	76	71	65	58

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-1000T 24-3	89	83	85	82	76	70	65	58	50
4-1000T 30-3	91	85	87	84	78	72	67	61	52
4-1000T 34-3	92	86	88	85	79	73	68	61	53
4-1000T 45-3	95	91	90	87	83	79	74	68	61
4-1000T 24-4	88	82	84	81	75	69	64	57	49
4-1000T 30-4	92	86	88	85	79	73	68	61	53
4-1000T 34-4	93	87	89	85	80	76	71	66	58
4-1000T 40-4	95	90	90	86	82	78	73	68	60
4-1000T 45-4	96	91	91	88	83	80	75	69	62
4-1000T 24-6	91	85	87	84	77	72	67	60	52
4-1000T 30-6	93	87	88	86	79	74	69	62	54
4-1000T 34-6	93	88	89	86	80	76	72	66	58
4-1000T 40-6	95	91	90	87	83	79	74	68	61
4-1000T 45-6	96	92	91	88	84	80	75	69	62
4-1000T 24-9	94	88	89	87	80	75	70	63	55
4-1000T 34-9	94	89	91	87	81	77	72	66	58
4-1000T 40-9	96	91	91	88	83	79	74	68	61
4-1000T 45-9	97	93	92	89	85	81	76	70	63
4-1000T 24-12	97	92	92	88	84	80	75	69	62
4-1000T 34-12	96	90	92	89	83	77	72	65	57
4-1000T 40-12	96	90	92	89	83	79	75	69	61
4-1000T 45-12	98	93	93	89	85	81	76	71	63

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-1250T 24-3	96	90	92	89	83	77	72	65	57
4-1250T 30-3	98	92	94	91	85	79	74	67	59
4-1250T 34-3	99	93	95	92	86	80	75	68	60
4-1250T 40-3	101	96	98	94	89	85	80	74	67
4-1250T 45-3	102	97	97	94	89	86	80	75	68
4-1250T 24-4	95	89	91	88	81	76	71	64	56
4-1250T 30-4	99	93	94	92	85	80	75	68	60
4-1250T 34-4	100	94	96	92	87	83	78	73	65
4-1250T 40-4	102	96	98	95	89	85	81	75	67
4-1250T 45-4	103	98	98	95	90	87	81	76	69
4-1250T 24-6	97	92	93	91	84	79	74	67	59
4-1250T 30-6	99	94	95	93	86	80	76	69	61
4-1250T 34-6	100	94	96	93	87	83	79	73	65
4-1250T 40-6	102	97	97	94	89	86	80	75	68
4-1250T 45-6	103	98	98	95	90	87	81	76	69
4-1250T 24-9	100	95	96	94	87	81	76	70	62
4-1250T 34-9	101	96	97	94	88	83	79	72	65
4-1250T 40-9	102	97	98	94	90	86	81	75	68
4-1250T 45-9	103	98	98	94	90	86	81	75	68
4-1250T 24-12	103	97	99	96	90	84	79	73	65
4-1250T 30-12	103	97	99	96	90	84	79	72	64
4-1250T 34-12	103	97	98	96	89	84	79	72	64
4-1250T 40-12	103	97	99	95	90	86	81	76	68
4-1250T 45-12	102	98	97	94	89	86	81	75	68

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-400M 45-8	61	55	57	55	48	42	37	31	23

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-400T 45-8	61	55	57	55	48	42	37	31	23

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-450M 40-8	62	56	58	56	49	43	38	32	24
6-450M 45-8	65	59	61	58	52	46	41	34	26

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-450T 40-8	62	56	58	56	49	43	38	32	28
6-450T 45-8	65	59	61	58	52	46	41	34	30

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-500M 34-8	62	56	58	55	49	43	38	31	23
6-500M 40-8	68	62	64	61	55	49	44	38	29
6-500M 45-8	67	62	63	61	54	48	44	37	29

AXIAN PIROS

(continuación / continuation / suite / folgend)

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-500T 34-8	62	56	58	55	49	43	38	31	27
6-500T 40-8	65	59	61	58	52	46	41	34	30
6-500T 45-8	68	62	64	61	55	49	44	38	34

Ø 560	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-560T 30-6	67	62	63	61	54	48	44	37	33
6-560T 34-6	69	63	65	62	56	50	45	38	34
6-560T 40-6	68	63	64	62	55	50	45	38	30
6-560T 45-6	72	66	67	65	58	53	48	41	37

Ø 630	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-630T 30-3	67	61	63	60	53	48	43	36	32
6-630T 34-3	70	64	66	63	57	51	46	39	35
6-630T 45-3	70	65	66	64	57	52	47	40	36
6-630T 24-4	67	61	63	61	54	48	43	37	33
6-630T 30-4	69	63	65	62	56	50	45	38	30
6-630T 34-4	69	63	65	62	56	50	45	38	34
6-630T 40-4	71	65	66	64	57	52	47	40	36
6-630T 45-4	72	66	68	66	59	53	48	42	38
6-630T 24-6	65	60	61	59	52	47	42	35	31
6-630T 30-6	71	65	67	64	58	52	47	40	36
6-630T 40-6	73	67	68	66	59	54	49	42	38
6-630T 45-6	75	69	71	68	62	56	51	45	41

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-710T 24-3	69	63	65	62	56	50	45	38	34
6-710T 30-3	70	65	66	64	57	51	46	40	36
6-710T 40-3	72	66	68	65	59	53	48	42	38
6-710T 45-3	74	68	70	67	61	55	50	44	40
6-710T 24-4	71	65	67	64	58	52	47	40	36
6-710T 30-4	72	67	68	66	59	53	48	42	38
6-710T 40-4	74	68	70	67	61	55	50	43	39
6-710T 45-4	76	70	72	69	63	57	52	45	41

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-710T 24-6	69	63	65	62	56	50	45	39	35
6-710T 30-6	75	69	70	68	61	56	51	44	40
6-710T 40-6	76	70	72	69	63	57	52	46	42
6-710T 45-6	79	73	75	72	66	60	55	48	44

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-800T 24-3	73	67	68	66	59	54	49	42	38
6-800T 30-3	75	69	71	69	62	56	51	45	41
6-800T 34-3	75	69	71	69	62	56	51	45	41
6-800T 40-3	77	71	73	70	64	60	56	50	42
6-800T 45-3	78	73	73	70	65	62	56	51	43
6-800T 24-4	73	67	68	66	59	54	49	42	38
6-800T 30-4	76	70	72	70	63	57	52	46	42
6-800T 34-4	76	71	73	69	64	60	55	49	42
6-800T 45-4	79	74	74	70	66	62	57	51	44
6-800T 24-6	73	67	68	66	59	54	49	42	38
6-800T 30-6	75	69	71	68	62	56	51	45	41
6-800T 34-6	77	71	73	69	64	60	55	50	42
6-800T 45-6	79	73	75	72	66	60	55	49	45
6-800T 24-9	76	71	72	69	63	59	54	47	40
6-800T 30-9	77	72	73	70	64	59	55	48	41
6-800T 34-9	78	72	74	71	65	60	55	49	41
6-800T 40-9	79	74	75	71	66	63	58	52	45
6-800T 45-9	79	73	75	72	66	61	57	50	42
6-800T 24-12	80	74	76	73	67	61	56	49	45
6-800T 34-12	79	74	75	73	66	60	56	49	45
6-800T 40-12	80	74	76	72	67	63	58	52	45
6-800T 45-12	79	74	75	72	66	62	58	52	44

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-900T 24-3	76	72	71	68	64	60	55	49	42
6-900T 30-3	78	72	74	72	65	59	54	48	44
6-900T 34-3	80	74	76	72	67	63	58	53	45
6-900T 40-3	82	76	78	74	69	65	60	55	47
6-900T 45-3	83	78	77	74	70	66	61	55	48
6-900T 24-4	75	71	70	67	63	59	54	48	41
6-900T 30-4	79	73	75	72	66	60	55	49	44
6-900T 40-4	82	78	77	74	69	66	60	55	48
6-900T 45-4	84	79	78	75	71	67	62	56	49
6-900T 24-6	78	72	74	71	65	59	54	47	43
6-900T 30-6	80	74	76	73	67	61	56	49	45
6-900T 34-6	80	75	77	73	68	64	59	53	46
6-900T 40-6	82	78	77	74	70	66	61	55	48
6-900T 45-6	83	79	78	75	71	67	62	56	49
6-900T 24-9	81	75	76	74	67	62	57	50	42
6-900T 34-9	82	76	78	75	69	65	61	55	47
6-900T 40-9	83	78	78	75	70	66	61	56	48
6-900T 45-9	83	78	78	75	70	67	61	56	48
6-900T 30-12	83	77	79	77	70	64	59	53	49
6-900T 34-12	84	78	80	76	71	67	62	56	49
6-900T 40-12	83	78	79	76	70	66	62	56	48
6-900T 45-12	83	78	78	74	70	66	61	55	48

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-1000T 24-3	79	74	75	73	66	60	56	49	45
6-1000T 30-3	81	76	77	75	68	63	58	51	47
6-1000T 34-3	82	77	78	76	69	64	59	52	48
6-1000T 40-3	85	79	80	78	71	66	61	54	50
6-1000T 45-3	85	80	81	79	72	66	62	55	51
6-1000T 24-4	78	72	74	72	65	59	54	48	44
6-1000T 30-4	82	76	78	76	69	63	58	52	48
6-1000T 34-4	83	77	79	76	70	64	59	52	48
6-1000T 40-4	85	79	81	78	72	66	61	54	50
6-1000T 45-4	86	81	82	80	73	67	63	56	52
6-1000T 24-6	81	75	77	74	68	62	57	51	47
6-1000T 30-6	83	77	79	76	70	64	59	53	48
6-1000T 34-6	83	77	79	76	70	64	59	53	49
6-1000T 40-6	85	80	81	79	72	66	62	55	51
6-1000T 45-6	86	81	82	80	73	67	63	56	52
6-1000T 30-9	85	79	81	78	72	66	61	54	46
6-1000T 34-9	85	79	80	78	71	66	61	54	46
6-1000T 40-9	86	80	81	79	72	67	62	55	47
6-1000T 45-9	86	82	81	78	73	70	65	59	52
6-1000T 24-12	87	81	83	80	74	68	63	56	52
6-1000T 30-12	86	81	82	80	73	68	63	56	52
6-1000T 34-12	86	80	82	79	73	67	62	56	52
6-1000T 40-12	86	80	82	79	73	67	62	55	51

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-1250T 24-3	86	80	82	79	73	67	62	56	52
6-1250T 30-3	88	82	84	82	75	69	64	58	54
6-1250T 34-3	89	83	85	83	76	70	65	59	55
6-1250T 40-3	91	86	87	85	78	72	67	61	57
6-1250T 45-3	92	86	88	86	79	73	68	62	58
6-1250T 24-4	85	79	81	78	72	66	61	55	51
6-1250T 30-4	89	83	85	82	76	70	65	58	54
6-1250T 34-4	90	84	85	83	76	71	66	59	55
6-1250T 45-4	93	87	89	87	80	74	69	63	59
6-1250T 24-6	88	82	84	81	75	69	64	57	53
6-1250T 30-6	90	84	86	83	77	71	66	59	55
6-1250T 34-6	90	84	86	83	77	71	66	59	55
6-1250T 40-6	92	86	88	85	79	73	68	62	58
6-1250T 45-6	93	87	89	86	80	74	69	63	59
6-1250T 24-9	91	86	86	83	78	73	68	62	54
6-1250T 34-9	91	86	87	85	78	72	68	61	53
6-1250T 40-9	92	87	88	86	79	73	69	62	54
6-1250T 45-9	93	88	88	85	80	77	71	66	58

AXIAN PIROS

(continuación / continuation / suite / folgend)

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-1250T 30-12	93	87	89	87	80	74	69	63	55
6-1250T 34-12	94	88	90	86	81	77	72	66	59
6-1250T 40-12	94	88	90	86	81	77	72	66	59
6-1250T 45-12	94	89	89	86	81	78	72	67	59

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-710T 24-3	64	59	59	55	51	47	42	36	29
8-710T 30-3	65	61	60	57	52	49	44	38	31
8-710T 34-3	65	60	60	56	52	48	43	38	30
8-710T 45-3	69	64	64	60	56	52	47	42	34
8-710T 24-4	66	61	61	57	53	49	44	38	31
8-710T 30-4	67	63	62	59	54	51	46	40	33
8-710T 40-4	68	64	63	60	55	52	47	41	34
8-710T 45-4	71	66	66	62	58	54	49	43	36
8-710T 24-6	64	59	59	55	51	47	42	37	29
8-710T 34-6	68	64	63	60	56	52	47	41	34
8-710T 40-6	71	66	66	63	58	55	49	44	36
8-710T 45-6	74	69	68	65	61	57	52	46	39

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-800T 24-3	67	63	62	59	55	51	46	40	33
8-800T 30-3	70	65	65	62	57	54	48	43	36
8-800T 34-3	70	65	65	62	57	54	48	43	36
8-800T 45-3	73	68	67	64	60	56	51	45	38
8-800T 24-4	67	63	62	59	55	51	46	40	33
8-800T 34-4	71	66	66	62	58	54	49	43	36
8-800T 40-4	73	68	68	64	60	56	51	45	38
8-800T 45-4	73	69	68	65	61	57	52	46	39
8-800T 24-6	67	63	62	59	55	51	46	40	33
8-800T 30-6	70	65	65	62	57	54	48	43	35
8-800T 34-6	71	66	66	63	58	55	49	44	37
8-800T 40-6	73	68	67	64	60	56	51	45	38
8-800T 45-6	74	69	69	65	61	57	52	47	39
8-800T 24-9	71	66	66	63	58	53	48	42	34
8-800T 30-9	72	66	68	65	59	53	48	41	33
8-800T 34-9	73	67	69	66	60	55	50	44	36
8-800T 40-9	73	68	69	65	61	57	52	46	39
8-800T 45-9	74	69	69	65	61	57	52	46	39
8-800T 24-12	75	70	70	66	62	58	53	47	40
8-800T 30-12	74	68	70	68	61	55	50	44	36
8-800T 34-12	74	68	70	67	61	56	51	45	37
8-800T 40-12	74	69	70	67	61	57	53	47	39
8-800T 45-12	74	69	68	65	61	57	52	46	39

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-900T 24-3	71	66	66	63	58	55	49	44	36
8-900T 30-3	73	68	68	65	60	57	51	46	39
8-900T 34-3	74	69	69	66	61	58	52	47	40
8-900T 40-3	76	72	71	68	63	60	55	49	42
8-900T 45-3	77	72	72	69	64	61	55	50	43
8-900T 24-4	70	65	65	61	57	53	48	43	35
8-900T 30-4	74	69	69	65	61	57	52	47	39
8-900T 34-4	74	70	69	66	62	58	53	47	40
8-900T 40-4	77	72	72	68	64	60	55	49	42
8-900T 45-4	78	73	73	70	65	62	56	51	44
8-900T 24-6	73	68	68	64	60	56	51	45	38
8-900T 30-6	75	70	70	66	62	58	53	47	40
8-900T 34-6	75	70	70	66	62	58	53	47	40
8-900T 45-6	78	73	73	70	65	62	56	51	43
8-900T 24-9	75	69	70	67	62	57	52	46	38
8-900T 30-9	76	70	71	69	62	57	52	45	37
8-900T 34-9	76	71	72	69	63	58	54	47	40
8-900T 40-9	77	72	72	69	64	60	55	50	42
8-900T 45-9	77	73	72	69	65	61	56	50	43

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-900T 24-12	78	74	73	70	66	62	57	51	44
8-900T 30-12	78	72	74	71	65	59	54	47	39
8-900T 34-12	77	72	73	70	64	59	55	48	41
8-900T 40-12	78	72	74	70	65	61	56	51	43
8-900T 45-12	77	73	72	69	64	61	56	50	43

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-1000T 24-3	74	70	69	66	61	58	53	47	40
8-1000T 30-3	76	72	71	68	64	60	55	49	42
8-1000T 34-3	77	73	72	69	65	61	56	50	43
8-1000T 40-3	79	75	74	71	67	63	58	52	45
8-1000T 45-3	80	76	75	72	67	64	59	53	46
8-1000T 24-4	73	69	68	65	60	57	52	46	39
8-1000T 34-4	78	73	72	69	65	61	56	50	43
8-1000T 40-4	80	75	75	71	67	63	58	52	45
8-1000T 45-4	81	77	76	73	68	65	60	54	47
8-1000T 24-6	76	71	71	67	63	59	54	49	41
8-1000T 30-6	81	76	76	73	68	65	59	54	46
8-1000T 34-6	78	73	73	69	65	61	56	51	43
8-1000T 40-6	80	76	75	72	67	64	59	53	46
8-1000T 45-6	81	77	76	73	68	65	60	54	47
8-1000T 24-9	78	73	73	70	65	60	55	49	41
8-1000T 30-9	79	73	75	72	66	60	55	48	40
8-1000T 34-9	79	74	75	72	66	62	57	51	43
8-1000T 40-9	80	75	76	72	67	63	59	53	45
8-1000T 45-9	81	76	75	72	68	64	59	53	46
8-1000T 24-12	82	77	77	73	69	65	60	54	47
8-1000T 30-12	81	75	77	74	68	62	57	50	42
8-1000T 34-12	80	75	76	73	67	63	58	52	44
8-1000T 40-12	81	75	77	74	68	64	60	54	46
8-1000T 45-12	80	76	75	72	68	64	59	53	46

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-1250T 24-3	81	76	76	73	68	65	59	54	46
8-1250T 30-3	83	78	78	75	70	67	61	56	49
8-1250T 34-3	84	79	79	76	71	68	62	57	50
8-1250T 40-3	86	82	81	78	73	70	65	59	52
8-1250T 45-3	87	82	82	79	74	71	65	60	52
8-1250T 24-4	80	75	75	71	67	63	58	53	45
8-1250T 30-4	84	79	79	75	71	67	62	56	49
8-1250T 34-4	84	80	79	76	72	68	63	57	50
8-1250T 40-4	87	82	81	78	74	70	65	59	52
8-1250T 45-4	88	83	83	80	75	72	66	61	53
8-1250T 24-6	83	78	78	74	70	66	61	55	48
8-1250T 30-6	85	80	80	76	72	68	63	57	50
8-1250T 34-6	85	80	80	76	72	68	63	57	50
8-1250T 40-6	87	82	82	79	74	71	65	60	52
8-1250T 45-6	88	83	83	80	75	72	66	61	53
8-1250T 24-9	85	79	80	77	72	67	62	56	48
8-1250T 30-9	86	80	81	79	72	67	62	55	47
8-1250T 34-9	86	80	82	79	73	68	64	57	49
8-1250T 40-9	87	82	82	79	74	70	65	60	52
8-1250T 45-9	87	83	82	79	75	71	66	60	53
8-1250T 24-12	88	84	83	80	76	72	67	61	54
8-1250T 30-12	88	82	84	81	75	69	64	57	49
8-1250T 34-12	87	81	83	80	74	69	65	58	50
8-1250T 40-12	88	82	84	80	75	71	66	61	53