



CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXI EEX 2800 RPM Ø 315-355




- 2-315 30-8 (0,55 kW)
- 2-355 24-8 (0,55 kW)
- 2-315 40-8 (0,75 kW)
- 2-355 30-8 (0,75 kW)
- 2-315 45-8 (1,10 kW)
- 2-355 40-8 (1,10 kW)
- 2-355 45-8 (2,20 kW)

AXI EEX 2800 RPM Ø 400-500




- 2-400 24-8 (1,10 kW)
- 2-450 24-8 (1,10 kW)
- 2-400 34-8 (1,50 kW)
- 2-450 34-8 (2,20 kW)
- 2-400 40-8 (2,20 kW)
- 2-450 40-8 (3,00 kW)
- 2-400 45-8 (3,00 kW)
- 2-450 45-8 (4,00 kW)

AXI EEX / AXITUB EEX 1400 RPM Ø 250-355



- 4-250 45 (0,12 kW)
- 4-355 30-8 (0,12 kW)
- 4-315 34-8 (0,12 kW)
- 4-355 34-8 (0,12 kW)
- 4-315 40-8 (0,12 kW)
- 4-355 45-8 (0,18 kW)
- 4-315 45-8 (0,18 kW)


AXI EEX / AXITUB EEX 1400 RPM Ø 400-500



- 4-400 24-8 (0,12 kW)
- 4-450 24-8 (0,18 kW)
- 4-500 24-8 (0,25 kW)
- 4-400 34-8 (0,18 kW)
- 4-450 34-8 (0,25 kW)
- 4-500 30-8 (0,37 kW)
- 4-400 40-8 (0,25 kW)
- 4-450 40-8 (0,37 kW)
- 4-500 34-8 (0,55 kW)
- 4-400 45-8 (0,37 kW)
- 4-450 45-8 (0,55 kW)
- 4-500 45-8 (0,75 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXI EEX / AXITUB EEX 1400 RPM Ø 560




- 4-560 30-6 (0,75 kW)
- 4-560 40-6 (1,10 kW)
- 4-560 45-6 (1,50 kW)

AXI EEX / AXITUB EEX 1400 RPM Ø 630




- 4-630 24-3 (0,55 kW)
- 4-630 30-3 (0,75 kW)
- 4-630 40-3 (1,10 kW)
- 4-630 45-3 (1,50 kW)

AXI EEX / AXITUB EEX 1400 RPM Ø 630



- 4-630 24-4 (0,75 kW)
- 4-630 34-4 (1,10 kW)
- 4-630 40-4 (1,50 kW)
- 4-630 45-4 (2,20 kW)


AXI EEX / AXITUB EEX 1400 RPM Ø 630



- 4-630 24-6 (0,75 kW)
- 4-630 30-6 (1,10 kW)
- 4-630 34-6 (1,50 kW)
- 4-630 40-6 (2,20 kW)
- 4-630 45-6 (3,00 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXI EEX / AXITUB EEX 1400 RPM Ø 710




- 4-710 24-3 (0,75 kW)
- 4-710 30-3 (1,10 kW)
- 4-710 34-3 (1,50 kW)
- 4-710 45-3 (2,20 kW)

AXI EEX / AXITUB EEX 1400 RPM Ø 710




- 4-710 24-4 (1,10 kW)
- 4-710 30-4 (1,50 kW)
- 4-710 34-4 (2,20 kW)
- 4-710 45-4 (3,00 kW)

AXI EEX / AXITUB EEX 1400 RPM Ø 710



- 4-710 24-6 (2,20 kW)
- 4-710 30-6 (2,20 kW)
- 4-710 40-6 (4,00 kW)
- 4-710 45-6 (5,50 kW)


AXI EEX / AXITUB EEX 1400 RPM Ø 800



- 4-800 24-3 (2,20 kW)
- 4-800 30-3 (2,20 kW)
- 4-800 34-3 (3,00 kW)
- 4-800 40-3 (4,00 kW)
- 4-800 45-3 (5,50 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXITUB EEX 1400 RPM Ø 800




- 4-800 24-4 (2,20 kW)
- 4-800 30-4 (3,00 kW)
- 4-800 34-4 (4,00 kW)
- 4-800 40-4 (5,50 kW)
- 4-800 45-4 (5,50 kW)

AXITUB EEX 1400 RPM Ø 800




- 4-800 24-6 (4,00 kW)
- 4-800 30-6 (4,00 kW)
- 4-800 34-6 (5,50 kW)
- 4-800 40-6 (5,50 kW)

AXITUB EEX 1400 RPM Ø 900



- 4-900 24-3 (2,20 kW)
- 4-900 30-3 (4,00 kW)
- 4-900 34-3 (5,50 kW)
- 4-900 40-3 (7,50 kW)


AXITUB EEX 1400 RPM Ø 900



- 4-900 24-4 (4,00 kW)
- 4-900 30-4 (5,50 kW)
- 4-900 40-4 (7,50 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXITUB EEX 1400 RPM Ø 900




- 4-900 24-6 (4,00 kW)
- 4-900 30-6 (5,50 kW)

AXITUB EEX 1400 RPM Ø 1000




- 4-1000 24-3 (3,00 kW)
- 4-1000 30-3 (4,00 kW)
- 4-1000 34-3 (5,50 kW)

AXITUB EEX 1400 RPM Ø 1000



- 4-1000 24-4 (4,00 kW)
- 4-1000 30-4 (5,50 kW)


AXITUB EEX 1400 RPM Ø 1000



- 4-1000 24-6 (5,50 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXI EEX / AXITUB EEX 900 RPM Ø 400-500




- 6-400 45-8 (0,12 kW)
- 6-450 40-8 (0,12 kW)
- 6-450 45-8 (0,12 kW)
- 6-500 40-8 (0,12 kW)
- 6-500 45-8 (0,18 kW)

AXITUB EEX 900 RPM Ø 560




- 6-560 34-6 (0,25 kW)
- 6-560 45-6 (0,37 kW)

AXI EEX 900 RPM Ø 560



- 6-560 30-6 (0,18 kW)
- 6-560 34-6 (0,25 kW)


AXI EEX / AXITUB EEX 900 RPM Ø 630



- 6-630 30-3 (0,18 kW)
- 6-630 34-3 (0,25 kW)
- 6-630 45-3 (0,37 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXI EEX / AXITUB EEX 900 RPM Ø 630




- 6-630 24-4 (0,18 kW)
- 6-630 30-4 (0,25 kW)
- 6-630 40-4 (0,37 kW)
- 6-630 45-4 (0,55 kW)

AXI EEX / AXITUB EEX 900 RPM Ø 630




- 6-630 24-6 (0,25 kW)
- 6-630 30-6 (0,37 kW)
- 6-630 40-6 (0,55 kW)
- 6-630 45-6 (0,75 kW)

AXI EEX / AXITUB EEX 900 RPM Ø 710



- 6-710 24-3 (0,25 kW)
- 6-710 30-3 (0,37 kW)
- 6-710 40-3 (0,55 kW)
- 6-710 45-3 (0,75 kW)


AXI EEX / AXITUB EEX 900 RPM Ø 710



- 6-710 24-4 (0,37 kW)
- 6-710 30-4 (0,55 kW)
- 6-710 40-4 (0,75 kW)
- 6-710 45-4 (1,10 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXI EEX / AXITUB EEX 900 RPM Ø 710




- 6-710 24-6 (0,37 kW)
- 6-710 30-6 (0,55 kW)
- 6-710 40-6 (0,75 kW)
- 6-710 45-6 (1,10 kW)

AXITUB EEX 900 RPM Ø 800




- 6-800 24-3 (0,25 kW)
- 6-800 30-3 (0,37 kW)
- 6-800 34-3 (0,55 kW)
- 6-800 40-3 (0,75 kW)
- 6-800 45-3 (1,10 kW)

AXITUB EEX 900 RPM Ø 800



- 6-800 24-4 (0,37 kW)
- 6-800 30-4 (0,55 kW)
- 6-800 34-4 (0,75 kW)
- 6-800 45-4 (1,10 kW)


AXITUB EEX 900 RPM Ø 800



- 6-800 24-6 (0,37 kW)
- 6-800 30-6 (0,75 kW)
- 6-800 34-6 (1,10 kW)
- 6-800 45-6 (1,50 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXITUB EEX 900 RPM Ø 800




- 6-800 24-12 (1,10 kW)
- 6-800 34-12 (1,50 kW)
- 6-800 40-12 (2,20 kW)
- 6-800 45-12 (3,00 kW)

AXITUB EEX 900 RPM Ø 800




- 6-900 24-3 (0,55 kW)
- 6-900 30-3 (0,75 kW)
- 6-900 34-3 (1,10 kW)
- 6-900 40-3 (1,50 kW)
- 6-900 45-3 (2,20 kW)

AXITUB EEX 900 RPM Ø 800



- 6-900 24-4 (0,55 kW)
- 6-900 30-4 (1,10 kW)
- 6-900 40-4 (1,50 kW)
- 6-900 45-4 (2,20 kW)


AXITUB EEX 900 RPM Ø 900



- 6-900 24-6 (0,75 kW)
- 6-900 30-6 (1,10 kW)
- 6-900 34-6 (1,50 kW)
- 6-900 40-6 (2,20 kW)
- 6-900 45-6 (3,00 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXITUB EEX 900 RPM Ø 900




- 6-900 30-12 (2,20 kW)
- 6-900 34-12 (3,00 kW)
- 6-900 40-12 (4,00 kW)
- 6-900 45-12 (5,50 kW)

AXITUB EEX 900 RPM Ø 1000




- 6-1000 24-3 (0,75 kW)
- 6-1000 30-3 (1,10 kW)
- 6-1000 34-3 (1,50 kW)
- 6-1000 40-3 (2,20 kW)
- 6-1000 45-3 (3,00 kW)

AXITUB EEX 900 RPM Ø 1000



- 6-1000 24-4 (1,10 kW)
- 6-1000 30-4 (1,50 kW)
- 6-1000 34-4 (2,20 kW)
- 6-1000 40-4 (3,00 kW)
- 6-1000 45-4 (4,00 kW)


AXITUB EEX 900 RPM Ø 1000



- 6-1000 24-6 (1,10 kW)
- 6-1000 30-6 (2,20 kW)
- 6-1000 34-6 (3,00 kW)
- 6-1000 40-6 (4,00 kW)
- 6-1000 45-6 (5,50 kW)


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES / KENNLINIEN

AXITUB EEX 900 RPM Ø 1000




- 6-1000 24-12 (3,00 kW)
- 6-1000 30-12 (4,00 kW)
- 6-1000 34-12 (5,50 kW)

AXITUB EEX 900 RPM Ø 1250




- 6-1250 24-3 (2,20 kW)
- 6-1250 30-3 (3,00 kW)
- 6-1250 34-3 (5,50 kW)

AXITUB EEX 900 RPM Ø 1250



- 6-1250 24-4 (3,00 kW)
- 6-1250 30-4 (4,00 kW)
- 6-1250 34-4 (5,50 kW)

AXITUB EEX 900 RPM Ø 1250



- 6-1250 24-6 (3,00 kW)
- 6-1250 30-6 (5,50 kW)