

**AXITUB PIROS**

**Radiadas @ 3m de distancia en campo abierto / Radiated LPA octave band @ 3m free field**

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>2-315M 30-8</b>	70	64	65	63	56	51	46	39	31
<b>2-315M 40-8</b>	73	67	69	66	60	54	49	43	34
<b>2-315M 45-8</b>	76	70	72	69	62	57	52	45	37

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>2-315T 30-8</b>	70	64	65	63	56	51	46	39	31
<b>2-315T 40-8</b>	73	67	69	66	60	54	49	43	34
<b>2-315T 45-8</b>	76	70	72	69	62	57	52	45	37

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>2-355M 24-8</b>	75	69	71	68	62	56	51	45	37
<b>2-355M 30-8</b>	74	68	70	67	61	55	50	44	36
<b>2-355M 40-8</b>	73	67	69	66	60	54	49	43	35
<b>2-355M 45-8</b>	79	73	75	73	66	60	55	49	41

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>2-355T 24-8</b>	75	69	71	68	62	56	51	45	37
<b>2-355T 30-8</b>	74	68	70	67	61	55	50	44	36
<b>2-355T 40-8</b>	73	67	69	66	60	54	49	43	35
<b>2-355T 45-8</b>	79	73	75	73	66	60	55	49	41

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>2-400M 24-8</b>	73	67	69	67	60	54	49	43	35
<b>2-400M 34-8</b>	77	71	73	70	64	58	53	46	38
<b>2-400M 40-8</b>	80	75	76	74	67	61	56	50	42

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>2-400T 24-8</b>	73	67	69	67	60	54	49	43	35
<b>2-400T 34-8</b>	77	71	73	70	64	58	53	46	38
<b>2-400T 40-8</b>	80	75	76	74	67	61	56	50	42
<b>2-400T 45-8</b>	83	77	79	76	70	64	59	52	44

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>2-450M 24-8</b>	77	71	73	70	64	58	53	46	38
<b>2-450M 34-8</b>	80	75	76	74	67	61	57	50	42

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>2-450T 24-8</b>	77	71	73	70	64	58	53	46	38
<b>2-450T 34-8</b>	80	75	76	74	67	61	57	50	42
<b>2-450T 40-8</b>	84	78	80	77	71	65	60	53	45
<b>2-450T 45-8</b>	87	81	82	80	73	68	63	56	48

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-315M 34-8</b>	55	50	50	46	42	38	33	27	20
<b>4-315M 40-8</b>	58	54	53	50	46	42	37	31	24
<b>4-315M 45-8</b>	61	56	56	52	48	44	39	34	26

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-315T 34-8</b>	55	50	50	46	42	38	33	27	20
<b>4-315T 40-8</b>	58	54	53	50	46	42	37	31	24
<b>4-315T 45-8</b>	61	56	56	52	48	44	39	34	26

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-355M 30-8</b>	60	56	55	52	48	44	39	33	26
<b>4-355M 34-8</b>	58	54	53	50	46	42	37	31	24
<b>4-355M 45-8</b>	65	60	59	56	52	48	43	37	30

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-355T 30-8</b>	60	56	55	52	48	44	39	33	26
<b>4-355T 34-8</b>	58	54	53	50	46	42	37	31	24
<b>4-355T 45-8</b>	65	60	59	56	52	48	43	37	30

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-400M 24-8</b>	59	54	53	50	46	42	37	31	24
<b>4-400M 34-8</b>	62	57	57	54	49	46	40	35	28
<b>4-400M 40-8</b>	66	61	60	57	53	49	44	38	31
<b>4-400M 45-8</b>	68	64	63	60	55	52	47	41	34

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-400T 24-8</b>	59	54	53	50	46	42	37	31	24
<b>4-400T 34-8</b>	62	57	57	54	49	46	40	35	28
<b>4-400T 40-8</b>	66	61	60	57	53	49	44	38	31
<b>4-400T 45-8</b>	68	64	63	60	55	52	47	41	34

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-450M 24-8</b>	62	58	57	54	49	46	40	35	28
<b>4-450M 34-8</b>	66	61	61	57	53	49	44	38	31
<b>4-450M 40-8</b>	69	65	64	61	56	53	48	42	35
<b>4-450M 45-8</b>	72	67	67	63	59	55	50	44	37

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-450T 24-8</b>	62	58	57	54	49	46	40	35	28
<b>4-450T 34-8</b>	66	61	61	57	53	49	44	38	31
<b>4-450T 40-8</b>	69	65	64	61	56	53	48	42	35
<b>4-450T 45-8</b>	72	67	67	63	59	55	50	44	37

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-500M 24-8</b>	65	61	60	57	53	49	44	38	31
<b>4-500M 30-8</b>	71	66	66	62	58	54	49	43	36
<b>4-500M 34-8</b>	69	64	64	60	56	52	47	41	34
<b>4-500M 45-8</b>	75	70	70	67	62	59	53	48	40

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-500T 24-8</b>	65	61	60	57	53	49	44	38	31
<b>4-500T 30-8</b>	71	66	66	62	58	54	49	43	36
<b>4-500T 34-8</b>	69	64	64	60	56	52	47	41	34
<b>4-500T 45-8</b>	75	70	70	67	62	59	53	48	40

Ø 560	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-560T 30-6</b>	74	68	70	67	61	55	50	43	35
<b>4-560T 40-6</b>	76	71	71	67	63	59	54	48	41
<b>4-560T 45-6</b>	78	74	73	70	66	62	57	51	44

Ø 630	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>4-630T 24-3</b>	72	66	68	65	59	53	48	41	33
<b>4-630T 30-3</b>	73	67	69	67	60	54	49	43	35
<b>4-630T 40-3</b>	76	71	72	69	63	59	55	49	41
<b>4-630T 45-3</b>	77	73	72	69	65	61	56	50	43
<b>4-630T 24-4</b>	74	68	70	67	61	55	50	43	35
<b>4-630T 34-4</b>	76	71	72	70	63	57	53	46	38
<b>4-630T 40-4</b>	78	72	74	70	65	61	56	51	43
<b>4-630T 45-4</b>	79	75	74	71	66	63	58	52	45
<b>4-630T 24-6</b>	72	66	68	65	59	53	48	42	33
<b>4-630T 30-6</b>	78	72	73	71	64	59	54	47	39
<b>4-630T 34-6</b>	76	70	72	69	63	59	55	49	41
<b>4-630T 40-6</b>	79	75	74	71	67	63	58	52	45
<b>4-630T 45-6</b>	82	77	77	74	69	66	60	55	47

AXITUB PIROS

(continuación / continuation / suite / folgend)

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-710T 24-3	75	70	71	69	62	56	52	45	37
4-710T 30-3	77	71	73	70	64	58	53	46	38
4-710T 34-3	77	72	72	68	64	60	55	50	42
4-710T 45-3	81	76	76	73	68	65	59	54	46
4-710T 24-4	77	71	73	71	64	58	53	47	39
4-710T 30-4	79	73	75	72	66	60	55	48	40
4-710T 34-4	80	76	75	72	68	64	59	53	46
4-710T 45-4	83	78	78	74	70	66	61	55	48
4-710T 24-6	76	70	72	69	62	57	52	45	37
4-710T 30-6	81	75	77	75	68	62	57	51	43
4-710T 40-6	83	78	78	74	70	66	61	56	48
4-710T 45-6	87	83	82	79	75	71	66	60	53

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-800T 24-3	79	73	75	73	66	60	55	49	41
4-800T 30-3	82	76	78	75	69	63	58	51	43
4-800T 34-3	82	76	78	75	69	63	58	51	43
4-800T 40-3	84	78	80	76	71	67	62	56	49
4-800T 45-3	85	80	79	76	72	68	63	57	50
4-800T 24-4	79	73	75	72	66	60	55	49	41
4-800T 30-4	83	77	79	76	70	64	59	52	44
4-800T 34-4	82	77	78	76	69	63	59	52	44
4-800T 40-4	85	79	81	78	72	68	64	58	50
4-800T 45-4	85	81	80	77	73	69	64	58	51
4-800T 24-6	79	74	75	73	66	60	55	49	41
4-800T 30-6	82	76	78	75	69	63	58	51	43
4-800T 34-6	83	78	80	76	71	67	62	56	49
4-800T 40-6	84	80	79	76	71	68	63	57	50
4-800T 45-6	85	81	80	77	73	69	64	58	51
4-800T 24-9	83	77	79	77	70	64	59	53	45
4-800T 30-9	85	79	80	78	71	66	61	54	46
4-800T 34-9	84	79	80	77	71	66	62	55	48
4-800T 40-9	85	83	81	78	73	69	64	58	51
4-800T 45-9	86	82	81	78	74	70	65	59	52
4-800T 24-12	87	81	82	80	73	68	63	56	48
4-800T 30-12	86	80	82	80	73	67	62	56	48
4-800T 34-12	86	80	82	79	73	67	62	55	47
4-800T 40-12	86	86	82	79	73	69	65	59	51
4-800T 45-12	87	83	82	79	74	71	66	60	53

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-900T 24-3	83	78	78	75	70	67	61	56	49
4-900T 30-3	85	79	81	78	72	66	61	54	46
4-900T 34-3	86	81	83	79	74	70	65	59	52
4-900T 40-3	88	83	85	81	76	72	67	61	54
4-900T 45-3	89	85	84	81	76	73	67	62	55
4-900T 24-4	82	77	77	74	69	66	60	55	47
4-900T 30-4	86	80	81	79	72	67	62	55	47
4-900T 40-4	89	83	85	82	76	72	68	62	54
4-900T 45-4	90	86	85	82	77	74	68	63	56
4-900T 24-6	84	79	80	78	71	65	61	54	46
4-900T 30-6	86	80	81	79	72	67	62	55	47
4-900T 34-6	85	80	82	78	73	69	64	58	51
4-900T 40-6	88	83	83	80	75	72	66	61	54
4-900T 45-6	90	85	85	81	77	73	68	62	55
4-900T 24-9	87	82	83	80	74	70	65	59	51
4-900T 30-9	88	82	84	81	75	69	64	58	50
4-900T 34-9	88	83	84	81	75	70	66	59	52
4-900T 40-9	89	84	85	82	77	73	68	62	55
4-900T 45-9	90	85	85	81	77	73	68	62	55
4-900T 24-12	90	86	85	82	78	74	69	63	56
4-900T 30-12	90	84	86	83	77	71	66	59	51
4-900T 34-12	90	84	85	83	76	71	66	59	51
4-900T 40-12	90	84	86	82	77	73	68	63	55
4-900T 45-12	89	85	84	81	76	73	68	62	55

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-1000T 24-3	85	79	81	78	72	66	61	55	46
4-1000T 30-3	87	81	83	80	74	68	63	57	49
4-1000T 34-3	88	82	84	81	75	69	64	58	50
4-1000T 45-3	91	87	86	83	79	75	70	64	57
4-1000T 24-4	84	78	80	77	71	65	60	53	45
4-1000T 30-4	89	83	85	82	76	70	65	58	50
4-1000T 34-4	89	84	85	83	76	70	65	59	51
4-1000T 40-4	91	86	86	83	78	75	69	64	56
4-1000T 45-4	92	87	87	84	79	75	70	65	57
4-1000T 24-6	87	81	83	80	74	68	63	56	48
4-1000T 30-6	89	83	85	82	75	70	65	58	50
4-1000T 34-6	89	84	85	82	76	72	68	62	54
4-1000T 40-6	91	87	86	83	79	75	70	64	57
4-1000T 45-6	92	88	87	84	80	76	71	65	58
4-1000T 24-9	90	84	86	83	77	71	66	60	51
4-1000T 30-9	91	86	87	85	78	72	67	61	53
4-1000T 34-9	91	85	87	84	78	73	68	62	54
4-1000T 40-9	92	90	88	84	79	76	71	65	58
4-1000T 45-9	93	89	88	85	80	77	72	66	59
4-1000T 30-12	93	87	89	86	80	74	69	63	54
4-1000T 24-12	93	88	89	87	80	74	70	63	55
4-1000T 34-12	93	87	89	86	80	74	69	62	54
4-1000T 40-12	93	93	89	86	80	76	72	66	58
4-1000T 45-12	94	89	89	86	81	78	72	67	59

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-1250T 24-3	93	87	89	86	80	74	69	62	54
4-1250T 30-3	95	89	91	88	82	76	71	64	56
4-1250T 34-3	96	90	92	89	83	77	72	65	57
4-1250T 40-3	98	93	95	91	86	82	77	71	64
4-1250T 45-3	99	94	94	91	86	83	77	72	65
4-1250T 24-4	92	86	88	85	78	73	68	61	53
4-1250T 30-4	96	90	91	89	82	77	72	65	57
4-1250T 34-4	96	90	92	89	83	77	72	66	58
4-1250T 40-4	99	93	95	92	86	82	78	72	64
4-1250T 45-4	100	95	95	92	87	84	78	73	66
4-1250T 24-6	94	89	90	88	81	76	71	64	56
4-1250T 30-6	96	91	92	90	83	77	73	66	58
4-1250T 34-6	97	91	93	90	84	80	76	70	62
4-1250T 40-6	99	94	94	91	86	83	77	72	65
4-1250T 45-6	100	95	95	92	87	84	78	73	66
4-1250T 30-9	98	92	94	91	85	79	74	68	60
4-1250T 34-9	98	93	94	91	85	80	76	69	62
4-1250T 40-9	99	94	95	91	87	83	78	72	65
4-1250T 45-9	100	95	95	91	87	83	78	72	65
4-1250T 24-12	100	96	95	92	88	84	79	73	66
4-1250T 30-12	100	94	96	93	87	81	76	69	61
4-1250T 34-12	100	94	95	93	86	81	76	69	61
4-1250T 40-12	100	94	96	92	87	83	78	73	65
4-1250T 45-12	99	95	94	91	86	83	78	72	65

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-400M 45-8	58	52	54	52	45	39	34	28	20

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-400T 45-8	58	52	54	52	45	39	34	28	20

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-450M 40-8	59	53	55	53	46	40	35	29	21
6-450M 45-8	62	56	58	55	49	43	38	31	23

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-450T 40-8	59	53	55	53	46	40	35	29	21
6-450T 45-8	62	56	58	55	49	43	38	31	23

**AXITUB PIROS**

(continuación / continuation / suite / folgend)

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-500M 34-8</b>	59	53	55	52	46	40	35	28	20
<b>6-500M 40-8</b>	62	56	58	55	49	43	38	31	23
<b>6-500M 45-8</b>	65	59	61	58	52	46	41	35	26

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-500T 34-8</b>	59	53	55	52	46	40	35	28	20
<b>6-500T 40-8</b>	62	56	58	55	49	43	38	31	23
<b>6-500T 45-8</b>	65	59	61	58	52	46	41	35	26

Ø 560	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-560T 30-6</b>	64	59	60	58	51	45	41	34	26
<b>6-560T 34-6</b>	66	60	62	59	53	47	42	35	27
<b>6-560T 40-6</b>	67	61	63	61	54	48	43	37	29
<b>6-560T 45-6</b>	69	63	64	62	55	50	45	38	30

Ø 630	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-630T 30-3</b>	64	58	60	57	50	45	40	33	25
<b>6-630T 34-3</b>	67	61	63	60	54	48	43	36	28
<b>6-630T 45-3</b>	67	62	63	61	54	48	44	37	29
<b>6-630T 24-4</b>	64	58	60	58	51	45	40	34	26
<b>6-630T 30-4</b>	66	60	62	59	53	47	42	35	27
<b>6-630T 40-4</b>	68	62	63	61	54	49	44	37	29
<b>6-630T 45-4</b>	69	63	65	63	56	50	45	39	31
<b>6-630T 24-6</b>	62	57	58	56	49	44	39	32	24
<b>6-630T 30-6</b>	68	62	64	61	55	49	44	37	29
<b>6-630T 40-6</b>	69	64	65	63	56	51	46	39	31
<b>6-630T 45-6</b>	72	66	68	65	59	53	48	42	33

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-710T 24-3</b>	66	60	62	59	53	47	42	35	27
<b>6-710T 30-3</b>	67	62	63	61	54	48	43	37	29
<b>6-710T 40-3</b>	68	63	64	62	55	50	45	38	30
<b>6-710T 45-3</b>	71	67	66	63	59	55	50	44	37
<b>6-710T 24-4</b>	68	62	64	61	55	49	44	37	29
<b>6-710T 30-4</b>	69	64	65	63	56	50	45	39	31
<b>6-710T 40-4</b>	70	64	66	64	57	51	46	40	32
<b>6-710T 45-4</b>	73	69	68	65	60	57	52	46	39
<b>6-710T 24-6</b>	66	60	62	59	53	47	42	36	27
<b>6-710T 30-6</b>	72	66	67	65	58	53	48	41	33
<b>6-710T 40-6</b>	73	69	68	65	61	57	52	46	39
<b>6-710T 45-6</b>	76	71	71	68	63	60	54	49	41

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-800T 24-3</b>	70	64	65	63	56	51	46	39	31
<b>6-800T 30-3</b>	72	66	68	66	59	53	48	42	34
<b>6-800T 34-3</b>	72	66	68	66	59	53	48	42	34
<b>6-800T 40-3</b>	74	68	70	67	61	57	53	47	39
<b>6-800T 45-3</b>	75	70	70	67	62	59	53	48	40
<b>6-800T 24-4</b>	70	64	65	63	56	51	46	39	31
<b>6-800T 30-4</b>	73	67	69	67	60	54	49	43	35
<b>6-800T 34-4</b>	73	68	70	66	61	57	52	46	39
<b>6-800T 45-4</b>	76	71	71	67	63	59	54	48	41
<b>6-800T 24-6</b>	70	64	65	63	56	51	46	39	31
<b>6-800T 30-6</b>	72	66	68	65	59	53	48	42	34
<b>6-800T 34-6</b>	74	68	70	66	61	57	52	47	39
<b>6-800T 45-6</b>	76	70	72	69	63	57	52	46	37
<b>6-800T 24-9</b>	55	50	51	49	42	37	32	25	17
<b>6-800T 30-9</b>	55	49	51	48	42	36	31	24	16
<b>6-800T 34-9</b>	56	51	52	50	43	37	32	26	18
<b>6-800T 40-9</b>	59	53	55	52	46	40	35	28	20
<b>6-800T 45-9</b>	54	48	50	47	41	35	30	24	16
<b>6-800T 24-12</b>	57	51	53	51	44	38	33	27	19
<b>6-800T 30-12</b>	58	52	54	51	45	39	34	27	19
<b>6-800T 34-12</b>	55	49	50	48	41	36	31	24	16
<b>6-800T 40-12</b>	56	50	52	50	43	37	32	26	18
<b>6-800T 45-12</b>	58	52	54	51	45	39	34	27	19

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-900T 24-3</b>	73	69	68	65	61	57	52	46	39
<b>6-900T 30-3</b>	75	69	71	69	62	56	51	45	37
<b>6-900T 34-3</b>	77	71	73	69	64	60	55	50	42
<b>6-900T 40-3</b>	79	73	75	71	66	62	57	52	44
<b>6-900T 45-3</b>	80	75	74	71	67	63	58	52	45
<b>6-900T 24-4</b>	72	68	67	64	60	56	51	45	38
<b>6-900T 30-4</b>	76	70	72	69	63	57	52	45	37
<b>6-900T 40-4</b>	79	75	74	71	66	63	57	52	45
<b>6-900T 45-4</b>	81	76	75	72	68	64	59	53	46
<b>6-900T 24-6</b>	75	69	71	68	62	56	51	44	36
<b>6-900T 30-6</b>	77	71	73	70	64	58	53	46	38
<b>6-900T 34-6</b>	77	72	74	70	65	61	56	50	43
<b>6-900T 40-6</b>	79	75	74	71	67	63	58	52	45
<b>6-900T 45-6</b>	80	76	75	72	68	64	59	53	46
<b>6-900T 24-9</b>	62	56	58	55	49	43	38	31	23
<b>6-900T 30-9</b>	64	59	59	55	51	47	42	36	29
<b>6-900T 34-9</b>	66	62	61	58	54	50	45	39	32
<b>6-900T 40-9</b>	60	54	56	53	47	41	36	29	21
<b>6-900T 45-9</b>	63	57	59	56	49	44	39	32	24
<b>6-900T 24-12</b>	63	57	59	56	49	44	39	32	24
<b>6-900T 30-12</b>	64	59	61	57	52	48	43	37	30
<b>6-900T 34-12</b>	65	61	60	57	53	49	44	38	31
<b>6-900T 40-12</b>	60	54	56	53	47	41	36	29	21
<b>6-900T 45-12</b>	64	58	59	57	50	45	40	33	25

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-1000T 24-3</b>	76	71	72	70	63	57	53	46	38
<b>6-1000T 30-3</b>	78	73	74	72	65	60	55	48	40
<b>6-1000T 34-3</b>	79	74	75	73	66	60	56	49	41
<b>6-1000T 40-3</b>	82	76	77	75	68	63	58	51	43
<b>6-1000T 45-3</b>	82	77	78	76	69	63	59	52	44
<b>6-1000T 24-4</b>	75	69	71	69	62	56	51	45	37
<b>6-1000T 30-4</b>	79	73	75	73	66	60	55	49	41
<b>6-1000T 34-4</b>	80	74	76	73	67	61	56	49	41
<b>6-1000T 40-4</b>	82	76	78	75	69	63	58	51	43
<b>6-1000T 45-4</b>	83	78	79	77	70	64	60	53	45
<b>6-1000T 24-6</b>	78	72	74	71	65	59	54	48	39
<b>6-1000T 30-6</b>	80	74	76	73	67	61	56	49	41
<b>6-1000T 34-6</b>	80	74	76	73	67	61	56	50	41
<b>6-1000T 40-6</b>	82	77	78	76	69	63	59	52	44
<b>6-1000T 45-6</b>	83	78	79	77	70	64	60	53	45
<b>6-1000T 24-9</b>	48	43	44	42	35	29	24	18	10
<b>6-1000T 30-9</b>	64	59	59	55	51	47	42	36	29
<b>6-1000T 34-9</b>	66	60	62	59	52	47	42	35	27
<b>6-1000T 40-9</b>	67	62	63	60	54	50	46	40	32
<b>6-1000T 45-9</b>	69	64	65	62	56	52	48	42	34
<b>6-1000T 24-12</b>	63	58	58	54	50	46	41	35	28
<b>6-1000T 30-12</b>	70	65	65	61	57	53	48	43	35
<b>6-1000T 34-12</b>	66	61	62	60	53	48	43	36	28
<b>6-1000T 40-12</b>	70	65	64	61	57	53	48	42	35
<b>6-1000T 45-12</b>	71	66	66	62	58	54	49	44	36

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
<b>6-1250T 24-3</b>	83	77	79	76	70	64	59	53	45
<b>6-1250T 30-3</b>	85	79	81	79	72	66	61	55	47
<b>6-1250T 34-3</b>	86	80	82	80	73	67	62	56	48
<b>6-1250T 40-3</b>									

AXITUB PIROS

(continuación / continuation / suite / folgend)

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-1250T 24-9	54	48	50	47	41	35	30	24	15
6-1250T 30-9	67	61	63	60	54	48	43	36	28
6-1250T 34-9	69	63	65	62	56	50	45	38	30
6-1250T 40-9	70	64	66	63	57	51	46	39	31
6-1250T 45-9	72	66	68	65	59	53	48	41	33
6-1250T 24-12	73	67	69	66	60	54	49	42	34
6-1250T 30-12	66	60	62	59	52	47	42	35	27
6-1250T 34-12	70	64	66	63	56	51	46	39	31
6-1250T 40-12	70	64	66	63	57	51	46	40	32
6-1250T 45-12	72	67	68	66	59	53	49	42	34

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-710T 24-3	61	56	56	52	48	44	39	33	26
8-710T 30-3	62	58	57	54	49	46	41	35	28
8-710T 34-3	62	57	57	53	49	45	40	35	27
8-710T 45-3	66	61	61	57	53	49	44	39	31
8-710T 24-4	63	58	58	54	50	46	41	35	28
8-710T 24-6	61	56	56	52	48	44	39	34	26
8-710T 30-4	64	60	59	56	51	48	43	37	30
8-710T 40-4	65	61	60	57	52	49	44	38	31
8-710T 45-4	68	63	63	59	55	51	46	40	33
8-710T 34-6	65	61	60	57	53	49	44	38	31
8-710T 40-6	68	63	63	60	55	52	46	41	33
8-710T 45-6	71	66	65	62	58	54	49	43	36

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-800T 24-3	64	60	59	56	52	48	43	37	30
8-800T 30-3	67	62	62	59	54	51	45	40	33
8-800T 34-3	67	62	62	59	54	51	45	40	33
8-800T 45-3	70	65	64	61	57	53	48	42	35
8-800T 24-4	64	60	59	56	52	48	43	37	30
8-800T 34-4	68	63	63	59	55	51	46	40	33
8-800T 40-4	70	65	65	61	57	53	48	42	35
8-800T 45-4	70	66	65	62	58	54	49	43	36
8-800T 24-6	64	60	59	56	52	48	43	37	30
8-800T 30-6	67	62	62	59	54	51	45	40	32
8-800T 34-6	68	63	63	60	55	52	46	41	34
8-800T 40-6	70	65	64	61	57	53	48	42	35
8-800T 45-6	71	66	66	62	58	54	49	44	36
8-800T 24-9	81	76	77	75	68	62	58	51	43
8-800T 30-9	81	76	77	75	68	62	58	51	43
8-800T 34-9	84	78	80	77	70	65	60	53	45
8-800T 40-9	85	79	81	78	71	66	61	54	46
8-800T 45-9	49	43	44	42	35	30	25	18	10
8-800T 24-12	61	56	57	55	48	42	37	31	23
8-800T 30-12	63	58	59	57	50	44	40	33	25
8-800T 34-12	64	59	60	58	51	45	41	34	26
8-800T 40-12	66	61	62	60	53	48	43	36	28
8-800T 45-12	67	62	63	61	54	48	44	37	29

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-900T 24-3	68	63	63	60	55	52	46	41	33
8-900T 30-3	70	65	65	62	57	54	48	43	36
8-900T 34-3	71	66	66	63	58	55	49	44	37
8-900T 40-3	73	69	68	65	60	57	52	46	39
8-900T 45-3	74	69	69	66	61	58	52	47	40
8-900T 24-4	67	62	62	58	54	50	45	40	32
8-900T 30-4	71	66	66	62	58	54	49	44	36
8-900T 34-4	71	67	66	63	59	55	50	44	37
8-900T 40-4	74	69	69	65	61	57	52	46	39
8-900T 45-4	75	70	70	67	62	59	53	48	41
8-900T 24-6	70	65	65	61	57	53	48	42	35
8-900T 30-6	72	67	67	63	59	55	50	44	37
8-900T 34-6	72	67	67	63	59	55	50	44	37
8-900T 45-6	75	70	70	67	62	59	53	48	40

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-900T 24-9	60	55	55	51	47	43	38	32	25
8-900T 30-9	63	58	57	54	50	46	41	35	28
8-900T 34-9	65	61	60	57	52	49	43	38	31
8-900T 40-9	59	54	54	51	46	43	37	32	24
8-900T 45-9	62	57	57	53	49	45	40	34	27
8-900T 24-12	62	57	57	53	49	45	40	34	27
8-900T 30-12	64	59	59	56	51	48	42	37	30
8-900T 34-12	59	54	54	50	46	42	37	32	24
8-900T 40-12	62	58	57	54	49	46	41	35	28
8-900T 45-12	64	60	59	56	51	48	43	37	30

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-1000T 24-3	71	67	66	63	58	55	50	44	37
8-1000T 30-3	73	69	68	65	61	57	52	46	39
8-1000T 34-3	74	70	69	66	62	58	53	47	40
8-1000T 40-3	76	72	71	68	64	60	55	49	42
8-1000T 45-3	77	73	72	69	64	61	56	50	43
8-1000T 24-4	70	66	65	62	57	54	49	43	36
8-1000T 34-4	75	70	69	66	62	58	53	47	40
8-1000T 40-4	77	72	72	68	64	60	55	49	42
8-1000T 45-4	78	74	73	70	65	62	57	51	44
8-1000T 24-6	73	68	68	64	60	56	51	46	38
8-1000T 30-6	78	73	73	70	65	62	56	51	43
8-1000T 34-6	75	70	70	66	62	58	53	48	40
8-1000T 40-6	77	73	72	69	64	61	56	50	43
8-1000T 45-6	78	74	73	70	65	62	57	51	44
8-1000T 24-9	61	55	57	54	48	42	37	30	22
8-1000T 30-9	62	56	58	55	49	43	38	31	23
8-1000T 34-9	63	58	57	54	50	46	41	35	28
8-1000T 40-9	65	60	60	56	52	48	43	37	30
8-1000T 45-9	66	61	61	57	53	49	44	38	31

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-1000T 24-12	68	63	63	59	55	51	46	40	33
8-1000T 30-12	69	64	63	60	56	52	47	41	34
8-1000T 34-12	61	57	56	53	49	45	40	34	27
8-1000T 40-12	65	61	60	57	53	49	44	38	31
8-1000T 45-12	66	61	61	57	53	49	44	39	31

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-1250T 24-3	78	73	73	70	65	62	56	51	43
8-1250T 30-3	80	75	75	72	67	64	58	53	46
8-1250T 34-3	81	76	76	73	68	65	59	54	47
8-1250T 40-3	83	79	78	75	70	67	62	56	49
8-1250T 45-3	84	79	79	76	71	68	62	57	49
8-1250T 24-4	77	72	72	68	64	60	55	50	42
8-1250T 30-4	81	76	76	72	68	64	59	53	46
8-1250T 34-4	81	77	76	73	69	65	60	54	47
8-1250T 40-4	84	79	78	75	71	67	62	56	49
8-1250T 45-4	85	80	80	77	72	69	63	58	50
8-1250T 24-6	80	75	75	71	67	63	58	52	45
8-1250T 30-6	82	77	77	73	69	65	60	54	47
8-1250T 34-6	82	77	77	73	69	65	60	54	47
8-1250T 40-6	84	79	79	76	71	68	62	57	49
8-1250T 45-6	85	80	80	77	72	69	63	58	50
8-1250T 24-9	59	54	54	50	46	42	37	31	24
8-1250T 30-9	66	61	61	57	53	49	44	38	31
8-1250T 34-9	68	63	63	59	55	51	46	40	33
8-1250T 40-9	69	64	64	60	56	52	47	41	34
8-1250T 45-9	71	66	66	62	58	54	49	44	36
8-1250T 24-12	72	67	67	63	59	55	50	44	37
8-1250T 30-12	65	60	60	56	52	48	43	37	30
8-1250T 34-12	69	65	64	61	56	53	48	42	35
8-1250T 40-12	71	67	66	63	59	55	50	44	37
8-1250T 45-12	73	68	68	64	60	56	51	45	38