

PIROS BOX

Radiadas @ 3m de distancia en campo abierto / Radiated LPA octave band @ 3m free field

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-315T 30-8	68	62	64	61	54	49	44	37	29
2-315T 40-8	65	60	61	59	52	46	42	35	27
2-315T 45-8	70	64	66	64	57	51	46	40	32

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-355T 24-8	71	65	66	64	57	52	47	40	32
2-355T 30-8	70	64	65	63	56	51	46	39	31
2-355T 40-8	69	63	64	62	55	50	45	38	30
2-355T 45-8	75	69	71	68	61	56	51	44	36

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-400T 24-8	69	63	64	62	55	50	45	38	30
2-400T 34-8	72	66	68	65	59	53	48	42	34
2-400T 40-8	76	70	72	69	62	57	52	45	37
2-400T 45-8	78	72	74	72	65	59	54	48	40

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
2-450T 24-8	72	66	68	66	59	53	48	42	34
2-450T 34-8	76	70	72	69	63	57	52	45	37
2-450T 40-8	79	74	75	73	66	60	55	49	41
2-450T 45-8	82	76	78	75	69	63	58	51	43

Ø 315	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-315T 34-8	49	45	44	41	37	33	28	25	20
4-315T 40-8	53	48	48	44	40	36	31	26	20
4-315T 45-8	55	51	50	47	43	39	34	28	21

Ø 355	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-355T 30-8	56	51	51	47	43	39	34	28	21
4-355T 34-8	54	49	49	45	41	37	32	26	21
4-355T 45-8	60	55	55	52	47	44	38	33	25

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-400T 24-8	54	49	49	45	41	37	32	26	21
4-400T 34-8	57	53	52	49	45	41	36	30	23
4-400T 40-8	61	56	56	52	48	44	39	34	26
4-400T 45-8	64	59	58	55	51	47	42	36	29

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-450T 24-8	58	53	52	49	45	41	36	30	23
4-450T 34-8	61	56	56	53	48	45	39	34	27
4-450T 40-8	65	60	59	56	52	48	43	37	30
4-450T 45-8	67	63	62	59	54	51	46	40	33

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-500T 24-8	61	57	56	53	49	45	40	34	27
4-500T 30-8	67	62	62	58	54	50	45	39	32
4-500T 34-8	65	60	60	56	52	48	43	37	30
4-500T 45-8	71	66	66	62	58	54	49	44	36

Ø 560	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-560T 30-6	70	64	66	64	57	51	46	40	32
4-560T 40-6	72	67	67	64	59	56	50	45	38
4-560T 45-6	75	70	70	66	62	58	53	47	40

Ø 630	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-630T 24-3	68	62	64	61	55	49	44	38	29
4-630T 30-3	70	64	65	63	56	51	46	39	31
4-630T 40-3	73	67	69	65	60	56	51	45	38
4-630T 45-3	74	68	70	66	61	57	52	47	39
4-630T 24-4	70	64	66	63	57	51	46	40	31
4-630T 34-4	73	67	69	66	59	54	49	42	34
4-630T 40-4	74	68	70	67	61	57	53	47	39
4-630T 45-4	76	70	72	68	63	59	54	49	41

Ø 630	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-630T 24-6	68	63	64	62	55	49	44	38	30
4-630T 30-6	74	68	70	67	61	55	50	43	35
4-630T 34-6	72	67	69	65	60	56	51	45	38
4-630T 40-6	76	70	72	69	63	59	55	49	41
4-630T 45-6	79	73	75	71	66	62	57	51	44

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-710T 24-3	72	66	68	65	59	53	48	41	33
4-710T 30-3	73	67	69	67	60	54	49	43	35
4-710T 34-3	73	69	68	65	61	57	52	46	39
4-710T 45-3	77	73	72	69	65	61	56	50	43
4-710T 24-4	74	68	69	67	60	55	50	43	35
4-710T 30-4	75	69	71	69	62	56	51	45	37
4-710T 34-4	77	72	72	68	64	60	55	49	42
4-710T 45-4	79	75	74	71	66	63	58	52	45
4-710T 24-6	72	66	68	65	59	53	48	42	33
4-710T 30-6	78	72	73	71	64	59	54	47	39
4-710T 40-6	79	74	74	71	66	63	57	52	45
4-710T 45-6	84	79	79	75	71	67	62	56	49

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-800T 24-3	76	70	72	69	63	57	52	45	37
4-800T 30-3	79	73	75	72	65	60	55	48	40
4-800T 34-3	79	74	75	72	66	62	58	52	44
4-800T 40-3	80	76	75	72	67	64	58	53	46
4-800T 45-3	81	77	76	73	69	65	60	54	47
4-800T 24-4	76	70	72	69	63	57	52	45	37
4-800T 30-4	80	74	76	73	66	61	56	49	41
4-800T 34-4	80	74	76	72	67	63	58	53	45
4-800T 40-4	81	77	76	73	69	65	60	54	47
4-800T 45-4	82	76	78	75	69	63	58	51	43
4-800T 24-6	76	70	72	69	63	57	52	46	38
4-800T 30-6	79	73	75	72	65	60	55	48	40
4-800T 34-6	80	75	75	71	67	63	58	53	45
4-800T 40-6	81	76	76	73	68	65	59	54	46
4-800T 45-6	82	76	78	75	69	63	58	51	43
4-800T 24-9	81	75	77	74	68	62	57	50	42
4-800T 30-9	81	75	77	74	68	62	57	50	42
4-800T 34-9	82	76	78	75	69	64	59	53	45
4-800T 40-9	83	78	78	74	70	66	61	55	48
4-800T 45-9	84	80	79	76	72	68	63	57	50
4-800T 24-12	84	78	80	77	71	65	60	53	45
4-800T 30-12	83	78	79	77	70	64	60	53	45
4-800T 34-12	83	77	79	76	70	64	59	53	44
4-800T 40-12	83	78	78	75	70	67	61	56	49
4-800T 45-12	85	81	80	77	73	69	64	58	51

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-900T 24-3	79	74	75	73	66	60	56	49	41
4-900T 30-3	82	76	78	75	69	65	61	55	47
4-900T 34-3	83	78	78	74	70	66	61	55	48
4-900T 40-3	85	80	80	76	72	68	63	57	50
4-900T 45-3	85	80	81	79	72	66	62	55	47
4-900T 24-4	78	73	74	72	65	59	54	48	40
4-900T 30-4	83	77	79	75	70	66	61	56	48
4-900T 40-4	85	81	80	77	73	69	64	58	51
4-900T 45-4	86	81	82	80	73	67	63	56	48

PIROS BOX

(continuación / continuation / suite / folgend)

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-900T 24-6	81	75	77	74	68	62	57	51	42
4-900T 30-6	83	77	79	75	70	66	61	56	48
4-900T 34-6	82	77	77	73	69	65	60	54	47
4-900T 40-6	85	80	80	76	72	68	63	57	50
4-900T 45-6	86	80	82	79	73	67	62	56	47
4-900T 24-9	85	79	80	77	72	67	62	56	48
4-900T 30-9	85	79	81	79	72	66	61	55	47
4-900T 34-9	85	80	81	78	72	67	63	57	49
4-900T 40-9	87	81	82	79	74	70	65	59	52
4-900T 45-9	87	82	82	78	74	70	65	59	52
4-900T 24-12	88	83	82	79	75	71	66	60	53
4-900T 30-12	87	81	83	80	74	68	63	56	48
4-900T 34-12	87	81	82	80	73	68	63	56	48
4-900T 40-12	87	81	83	79	74	70	65	60	52
4-900T 45-12	86	82	81	78	74	70	65	59	52

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-1000T 24-3	82	76	78	75	69	63	58	52	44
4-1000T 30-3	84	78	80	78	71	65	60	54	46
4-1000T 34-3	85	79	81	79	72	66	61	55	47
4-1000T 45-3	89	84	83	80	76	72	67	61	54

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-1000T 24-4	81	75	77	74	68	62	57	51	43
4-1000T 30-4	86	80	82	79	73	67	62	55	47
4-1000T 34-4	86	81	82	80	73	68	63	56	48
4-1000T 40-4	88	84	83	80	75	72	67	61	54
4-1000T 45-4	89	84	84	81	76	73	67	62	54
4-1000T 24-6	84	78	80	77	71	65	60	53	45
4-1000T 30-6	86	80	82	79	73	67	62	55	47
4-1000T 34-6	86	80	82	79	73	67	62	55	47
4-1000T 40-6	88	84	83	80	76	72	67	61	54
4-1000T 45-6	89	85	84	81	77	73	68	62	55
4-1000T 24-9	88	82	84	81	74	69	64	57	49
4-1000T 30-9	88	82	84	81	75	69	64	57	49
4-1000T 34-9	89	83	85	82	76	71	66	60	52
4-1000T 40-9	90	85	85	81	77	73	68	62	55
4-1000T 45-9	91	87	86	83	78	75	70	64	57
4-1000T 24-12	91	85	86	84	77	72	67	60	52
4-1000T 30-12	90	84	86	83	77	71	66	60	52
4-1000T 34-12	90	84	86	83	77	71	66	59	51
4-1000T 40-12	90	85	85	81	77	73	68	62	55
4-1000T 45-12	92	87	87	84	79	76	70	65	58

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
4-1250T 24-3	90	84	86	83	77	71	66	59	51
4-1250T 30-3	92	86	88	85	79	73	68	61	53
4-1250T 34-3	93	87	89	86	80	74	69	62	54
4-1250T 40-3	96	90	92	88	83	79	74	68	61
4-1250T 45-3	96	92	91	88	83	80	75	69	62
4-1250T 24-4	89	83	85	82	76	70	65	58	50
4-1250T 30-4	93	87	89	86	79	74	69	62	54
4-1250T 34-4	93	87	89	87	80	74	69	63	55
4-1250T 40-4	96	90	92	89	83	79	75	69	61
4-1250T 45-4	97	93	92	89	84	81	76	70	63
4-1250T 24-6	92	86	87	85	78	73	68	61	53
4-1250T 30-6	93	88	89	87	80	75	70	63	55
4-1250T 34-6	94	88	90	87	81	77	73	67	59
4-1250T 40-6	96	92	91	88	83	80	75	69	62
4-1250T 45-6	97	93	92	89	84	81	76	70	63
4-1250T 24-9	95	89	90	87	82	77	72	66	58
4-1250T 30-9	95	89	91	89	82	76	71	65	57
4-1250T 34-9	95	90	91	88	82	77	73	67	59
4-1250T 40-9	96	91	92	89	84	80	75	69	62
4-1250T 45-9	97	92	92	88	84	80	75	69	62
4-1250T 24-12	98	93	92	89	85	81	76	70	63
4-1250T 30-12	97	91	93	90	84	78	73	66	58
4-1250T 34-12	97	91	92	90	83	78	73	66	58
4-1250T 40-12	97	91	93	89	84	80	75	70	62
4-1250T 45-12	96	92	91	88	83	80	75	69	62

Ø 400	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-400T 45-8	54	48	49	47	40	35	30	23	15

Ø 450	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-450T 40-8	55	49	51	48	41	36	31	24	20
6-450T 45-8	57	51	53	51	44	38	33	27	22

Ø 500	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-500T 34-8	55	49	51	48	42	36	31	24	21
6-500T 40-8	58	52	54	51	45	39	34	27	22
6-500T 45-8	61	55	57	54	48	42	37	31	23

Ø 560	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-560T 30-6	61	55	56	54	47	42	37	30	22
6-560T 34-6	62	56	58	55	49	43	38	32	24
6-560T 40-6	63	58	59	57	50	45	40	33	25
6-560T 45-6	65	59	61	58	52	46	41	34	26

Ø 630	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-630T 30-3	60	54	56	53	47	41	36	29	22
6-630T 34-3	63	57	59	56	50	44	39	33	24
6-630T 45-3	64	58	60	57	50	45	40	33	25
6-630T 24-4	60	55	56	54	47	42	37	30	22
6-630T 30-4	62	56	58	55	49	43	38	32	24
6-630T 40-4	64	58	60	57	51	45	40	33	25
6-630T 45-4	66	60	61	59	52	47	42	35	27
6-630T 24-6	59	53	55	52	45	40	35	28	21
6-630T 30-6	64	58	60	58	51	45	40	34	26
6-630T 40-6	66	60	62	59	53	47	42	35	27
6-630T 45-6	68	63	64	62	55	49	45	38	30

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-710T 24-3	62	56	58	55	49	43	38	32	24
6-710T 30-3	64	58	60	57	50	45	40	33	25
6-710T 40-3	65	61	60	57	52	49	44	38	31
6-710T 45-3	68	63	63	59	55	51	46	40	33
6-710T 24-4	64	58	60	57	51	45	40	34	26
6-710T 30-4	66	60	62	59	52	47	42	35	27
6-710T 40-4	67	62	62	58	54	50	45	40	32
6-710T 45-4	70	65	64	61	57	53	48	42	35
6-710T 24-6	62	57	58	56	49	43	39	32	24
6-710T 30-6	68	62	64	61	55	49	44	37	29
6-710T 40-6	70	65	65	61	57	53	48	42	35
6-710T 45-6	72	68	67	64	60	56	51	45	38

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-800T 24-3	66	61	62	60	53	47	43	36	28
6-800T 30-3	69	63	65	62	56	50	45	39	30
6-800T 34-3	69	63	65	62	56	50	45	39	30
6-800T 40-3	71	65	67	63	58	54	49	44	36
6-800T 45-3	72	67	67	63	59	55	50	44	37
6-800T 24-4	66	61	62	60	53	47	43	36	28
6-800T 30-4	70	64	66	63	57	51	46	40	31
6-800T 34-4	70	65	66	63	57	53	49	43	35
6-800T 45-4	73	68	68	64	60	56	51	45	38

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-800T 24-6	66	61	62	60	53	47	43	36	28
6-800T 30-6	69	63	65	62	56	50	45	38	30
6-800T 34-6	71	65	67	63	58	54	49	43	36
6-800T 45-6	73	67	69	66	60	54	49	42	34

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-800T 24-9	71	65	67	65	58	52	47	41	33
6-800T 30-9	71	66	67	65	58	52	48	41	33
6-800T 34-9	72	67	68	65	59	54	50	43	36
6-800T 40-9	73	69	68	65	60	57	52	46	39
6-800T 45-9	75	70	70	66	62	58	53	47	40

## PIROS BOX

(continuación / continuation / suite / folgend)

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-800T 24-12	74	68	70	67	61	55	50	44	36
6-800T 30-12	74	68	70	67	61	55	50	43	35
6-800T 34-12	73	68	69	67	60	55	50	43	35
6-800T 40-12	73	69	68	65	61	57	52	46	39
6-800T 45-12	76	71	71	67	63	59	54	48	41

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-900T 24-3	70	65	65	62	57	54	48	43	36
6-900T 30-3	72	66	68	65	59	53	48	41	33
6-900T 34-3	73	68	70	66	61	57	52	46	39
6-900T 40-3	76	70	72	68	63	59	54	48	41
6-900T 45-3	76	72	71	68	63	60	55	49	42
6-900T 24-4	69	64	64	61	56	53	47	42	34
6-900T 30-4	73	67	69	66	59	54	49	42	34
6-900T 40-4	76	71	71	67	63	59	54	48	41
6-900T 45-4	77	73	72	69	64	61	56	50	43
6-900T 24-6	71	66	67	65	58	53	48	41	33
6-900T 30-6	73	68	69	67	60	55	50	43	35
6-900T 34-6	74	68	70	67	61	57	53	47	39
6-900T 40-6	76	72	71	68	63	60	54	49	42
6-900T 45-6	77	73	72	69	64	61	55	50	43
6-900T 24-9	75	70	70	67	62	57	52	46	38
6-900T 30-9	76	70	71	69	62	57	52	45	37
6-900T 34-9	76	70	72	69	63	58	53	47	39
6-900T 40-9	77	72	72	69	64	60	55	50	42
6-900T 45-9	77	73	72	69	64	61	55	50	43
6-900T 24-12	78	73	73	70	65	62	56	51	43
6-900T 30-12	77	72	73	71	64	58	53	47	39
6-900T 34-12	77	71	73	70	64	58	53	46	38
6-900T 40-12	77	72	73	70	64	60	56	50	42
6-900T 45-12	77	72	72	68	64	60	55	49	42

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-1000T 24-3	73	68	69	67	60	55	50	43	35
6-1000T 30-3	76	70	71	69	62	57	52	45	37
6-1000T 34-3	77	71	72	70	63	58	53	46	38
6-1000T 40-3	79	73	75	72	65	60	55	48	40
6-1000T 45-3	80	74	75	73	66	61	56	49	41
6-1000T 24-4	72	67	68	66	59	53	49	42	34
6-1000T 30-4	76	71	72	70	63	57	53	46	38
6-1000T 34-4	77	71	73	70	64	58	53	46	38
6-1000T 40-4	79	73	75	72	66	60	55	49	41
6-1000T 45-4	81	75	76	74	67	62	57	50	42
6-1000T 24-6	75	69	71	69	62	56	51	45	37
6-1000T 30-6	77	71	73	70	64	58	53	47	39
6-1000T 34-6	77	71	73	70	64	58	53	47	39
6-1000T 40-6	80	74	75	73	66	61	56	49	41
6-1000T 45-6	81	75	76	74	67	62	57	50	42
6-1000T 24-9	78	72	74	71	65	59	54	48	39
6-1000T 30-9	81	75	76	74	67	62	57	50	42
6-1000T 34-9	79	73	75	72	66	61	56	50	42
6-1000T 40-9	80	75	75	72	67	64	58	53	45
6-1000T 45-9	82	77	77	73	69	65	60	54	47
6-1000T 24-12	81	75	77	74	68	62	57	50	42
6-1000T 30-12	78	72	74	71	65	59	54	48	40
6-1000T 34-12	80	74	76	74	67	61	56	50	42
6-1000T 40-12	80	76	75	72	67	64	59	53	46
6-1000T 45-12	82	78	77	74	70	66	61	55	48

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-1250T 24-3	80	74	76	74	67	61	56	50	42
6-1250T 30-3	82	77	78	76	69	63	58	52	44
6-1250T 34-3	83	77	79	77	70	64	59	53	45
6-1250T 40-3	85	80	81	79	72	66	62	55	47
6-1250T 45-3	86	80	82	80	73	67	62	56	48

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
6-1250T 24-4	79	73	75	72	66	60	55	49	41
6-1250T 30-4	83	77	79	76	70	64	59	53	45
6-1250T 34-4	84	78	79	77	70	65	60	53	45
6-1250T 45-4	87	81	83	81	74	68	63	57	49
6-1250T 24-6	82	76	78	75	69	63	58	51	43
6-1250T 30-6	84	78	80	77	71	65	60	53	45
6-1250T 34-6	84	78	80	77	71	65	60	53	45
6-1250T 40-6	86	80	82	80	73	67	62	56	48
6-1250T 45-6	87	81	83	81	74	68	63	57	49
6-1250T 24-9	85	80	80	77	72	67	62	56	48
6-1250T 30-9	86	80	81	79	72	67	62	55	47
6-1250T 34-9	86	80	82	79	73	68	63	57	49
6-1250T 40-9	87	82	82	79	74	70	65	60	52
6-1250T 45-9	87	83	82	79	74	71	65	60	53
6-1250T 24-12	88	83	83	79	75	71	66	61	53
6-1250T 30-12	87	82	83	81	74	68	63	57	49
6-1250T 34-12	87	81	83	80	74	68	63	56	48
6-1250T 40-12	87	82	83	80	74	70	66	60	52
6-1250T 45-12	87	82	82	78	74	70	65	59	52

Ø 710	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-710T 24-3	57	52	52	49	44	41	35	30	22
8-710T 30-3	59	54	53	50	46	42	37	31	24
8-710T 34-3	58	54	53	50	45	42	37	31	24
8-710T 45-3	62	58	57	54	50	46	41	35	28
8-710T 24-4	59	54	54	51	46	43	37	32	24
8-710T 30-4	61	56	55	52	48	44	39	33	26
8-710T 40-4	61	57	56	53	49	45	40	34	27
8-710T 45-4	64	59	59	56	51	48	42	37	30
8-710T 24-6	57	53	52	49	45	41	36	30	23
8-710T 34-6	62	57	57	53	49	45	40	34	27
8-710T 40-6	64	60	59	56	52	48	43	37	30
8-710T 45-6	67	62	62	58	54	50	45	40	32

Ø 800	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-800T 24-3	61	57	56	53	49	45	40	34	27
8-800T 30-3	64	59	59	55	51	47	42	37	29
8-800T 34-3	64	59	59	55	51	47	42	37	29
8-800T 45-3	66	62	61	58	54	50	45	39	32
8-800T 24-4	61	57	56	53	48	45	40	34	27
8-800T 34-4	64	60	59	56	52	48	43	37	30
8-800T 40-4	66	62	61	58	54	50	45	39	32
8-800T 45-4	67	63	62	59	54	51	46	40	33
8-800T 24-6	61	57	56	53	48	45	40	34	27
8-800T 30-6	64	59	59	55	51	47	42	36	29
8-800T 34-6	65	60	60	56	52	48	43	38	30
8-800T 40-6	66	62	61	58	54	50	45	39	32
8-800T 45-6	68	63	63	59	55	51	46	40	33
8-800T 24-9	66	60	62	59	53	47	42	35	27
8-800T 30-9	66	60	62	59	53	47	42	35	27
8-800T 34-9	67	61	63	60	54	49	44	38	30
8-800T 40-9	68	63	63	59	55	51	46	40	33
8-800T 45-9	69	65	64	61	57	53	48	42	35
8-800T 24-12	69	63	65	62	55	50	45	38	30
8-800T 30-12	68	63	64	62	55	49	44	38	30
8-800T 34-12	68	62	64	61	55	49	44	37	29
8-800T 40-12	68	63	63	60	55	52	46	41	33
8-800T 45-12	70	66	65	62	57	54	49	43	36

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-900T 24-3	65	60	60	56	52	48	43	37	30
8-900T 30-3	67	62	62	58	54	50	45	39	32
8-900T 34-3	68	63	63	59	55	51	46	40	33
8-900T 40-3	70	65	65	61	57	53	48	42	35
8-900T 45-3	71	66	66	62	58	54	49	43	36
8-900T 24-4	64	59	58	55	51	47	42	36	29
8-900T 30-4	68	63	62	59	55	51	46	40	33
8-900T 34-4	68	63	63	60	55	52	46	41	33
8-900T 40-4	70	66	65	62	58	54	49	43	36
8-900T 45-4	72	67	67	63	59	55	50	44	37

PIROS BOX

(continuación / continuation / suite / folgend)

Ø 900	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-900T 24-6	66	62	61	58	54	50	45	39	32
8-900T 30-6	68	64	63	60	56	52	47	41	34
8-900T 34-6	68	64	63	60	56	52	47	41	34
8-900T 45-6	72	67	67	63	59	55	50	44	37
8-900T 24-9	69	64	65	62	57	52	47	41	33
8-900T 30-9	70	64	66	63	57	51	46	40	32
8-900T 34-9	70	65	66	63	57	52	48	41	34
8-900T 40-9	71	66	67	64	59	55	50	44	37
8-900T 45-9	72	67	67	63	59	55	50	44	37
8-900T 24-12	73	68	67	64	60	56	51	45	38
8-900T 30-12	72	66	68	65	59	53	48	41	33
8-900T 34-12	72	66	67	65	58	53	48	41	33
8-900T 40-12	72	66	68	64	59	55	50	45	37
8-900T 45-12	71	67	66	63	58	55	50	44	37

Ø 1000	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-1000T 24-3	68	64	63	60	56	52	47	41	34
8-1000T 30-3	70	66	65	62	58	54	49	43	36
8-1000T 34-3	71	67	66	63	59	55	50	44	37
8-1000T 40-3	73	69	68	65	61	57	52	46	39
8-1000T 45-3	74	70	69	66	62	58	53	47	40
8-1000T 24-4	67	63	62	59	54	51	46	40	33
8-1000T 34-4	72	67	67	63	59	55	50	44	37
8-1000T 40-4	74	69	69	66	61	58	52	47	39
8-1000T 45-4	75	71	70	67	63	59	54	48	41
8-1000T 24-6	70	65	65	62	57	54	48	43	35
8-1000T 30-6	75	71	70	67	62	59	53	48	41
8-1000T 34-6	72	67	67	64	59	56	50	45	37
8-1000T 40-6	74	70	69	66	62	58	53	47	40
8-1000T 45-6	75	71	70	67	63	59	54	48	41
8-1000T 24-9	73	67	68	66	59	54	49	42	34
8-1000T 30-9	75	69	71	68	62	56	51	45	36
8-1000T 34-9	74	68	70	67	61	56	51	45	37
8-1000T 40-9	75	70	69	66	62	58	53	47	40
8-1000T 45-9	76	72	71	68	63	60	55	49	42
8-1000T 24-12	75	70	71	69	62	57	52	45	37
8-1000T 30-12	73	67	69	66	59	54	49	42	34
8-1000T 34-12	75	69	71	68	62	56	51	44	36
8-1000T 40-12	75	70	70	66	62	58	53	47	40
8-1000T 45-12	77	72	72	69	64	61	55	50	42

Ø 1250	dB (A)	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz
8-1250T 24-3	75	70	70	67	62	59	53	48	41
8-1250T 30-3	77	73	72	69	64	61	56	50	43
8-1250T 34-3	78	74	73	70	65	62	57	51	44
8-1250T 40-3	80	76	75	72	67	64	59	53	46
8-1250T 45-3	81	77	76	73	68	65	59	54	47
8-1250T 24-4	74	69	69	66	61	58	52	47	39
8-1250T 30-4	78	73	73	69	65	61	56	51	43
8-1250T 34-4	78	74	73	70	66	62	57	51	44
8-1250T 40-4	81	76	76	72	68	64	59	53	46
8-1250T 45-4	82	78	77	74	69	66	60	55	48
8-1250T 24-6	77	72	72	68	64	60	55	49	42
8-1250T 30-6	79	74	74	70	66	62	57	51	44
8-1250T 34-6	79	74	74	70	66	62	57	51	44
8-1250T 40-6	81	76	76	73	68	65	59	54	47
8-1250T 45-6	82	77	77	74	69	66	60	55	48
8-1250T 24-9	79	74	75	72	66	62	57	51	43
8-1250T 30-9	80	74	76	73	67	61	56	50	42
8-1250T 34-9	80	75	76	73	67	62	58	51	44
8-1250T 40-9	81	76	77	74	69	65	60	54	47
8-1250T 45-9	82	77	77	73	69	65	60	54	47
8-1250T 24-12	82	78	77	74	70	66	61	55	48
8-1250T 30-12	82	76	78	75	69	63	58	51	43
8-1250T 34-12	82	76	77	75	68	63	58	51	43
8-1250T 40-12	82	76	78	74	69	65	60	55	47
8-1250T 45-12	81	77	76	73	68	65	60	54	47