


CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES CARACTÉRISTIQUES / KENNLINIEN


AXITEJ / AXITEJ BS 1400 RPM Ø 315-450



- 1. 4-315 34 (0,09)\*
- 2. 4-315 45 (0,09)\*
- 3. 4-355 30 (0,09)\*
- 4. 4-355 40 (0,09)\*
- 5. 4-400 30 (0,09)\*
- 6. 4-355 45 (0,12)\*
- 7. 4-400 40 (0,12)\*
- 8. 4-400 45 (0,18)\*
- 9. 4-450 30 (0,18)\*
- 10. 4-450 40 (0,37)\*
- 11. 4-450 45 (0,37)\*

\* Kw

AXITEJ / AXITEJ BS 1400 RPM Ø 500-560




- 1. 4-500 30 (0,18)\*
- 2. 4-500 34 (0,37)\*
- 3. 4-500 40 (0,55)\*
- 4. 4-560 24 (0,37)\*
- 5. 4-560 34 (0,55)\*
- 6. 4-560 40 (0,75)\*
- 7. 4-560 45 (1,1)\*

\* Kw

**CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES CARACTÉRISTIQUES / KENNLINIEN**


**AXITEJ / AXITEJ BS 1400 RPM Ø 630-710**



- 1. 4-630 24 (0,75)\*
- 2. 4-630 34 (1,1)\*
- 3. 4-630 40 (1,5)\*
- 4. 4-630 45 (2,2)\*
- 5. 4-710 30 (1,5)\*
- 6. 4-710 34 (2,2)\*
- 7. 4-710 40 (3)\*
- 8. 4-710 45 (4)\*

\* Kw

**AXITEJ 1400 RPM Ø 800**




- 1. 4-800 30 (3)\*
- 2. 4-800 34 (4)\*
- 3. 4-800 40 (5,5)\*
- 4. 4-800 45 (7,5)\*

\* Kw

CURVAS CARACTERÍSTICAS / PERFORMANCE DATA / COURBES CARACTÉRISTIQUES / KENNLINIEN


AXITEJ / AXITEJ BS 900 RPM Ø 560-710



1. 6-560 30 (0,12)\*
2. 6-560 34 (0,18)\*
3. 6-560 40 (0,25)\*
4. 6-560 45 (0,37)\*
5. 6-630 24 (0,18)\*
6. 6-630 30 (0,25)\*
7. 6-630 40 (0,37)\*
8. 6-630 45 (0,55)\*
9. 6-710 30 (0,37)\*
10. 6-710 34 (0,55)\*
11. 6-710 40 (0,75)\*
12. 6-710 45 (1,1)\*

\* Kw

AXITEJ 900 RPM Ø 800



1. 6-800 30 (0,37)\*
2. 6-800 34 (0,75)\*
3. 6-800 40 (1,1)\*
4. 6-800 45 (1,5)\*

\* Kw